Instructions: TITAN pt. no.: 99 0000 0899

TITAN Fuel Tanks™


INSTALLATION GUIDE

9900015 Rear Camera Mount Kit for Jeep Wrangler JL





TITAN's Rear Camera Mount Kit for Jeep JL is designed to provide an easy mounting solution for the camera when installing a TITAN Trail Trekker II™ auxiliary fuel tank.



Assembly Illustration shown above.

Item		Part	
No.	Description	Number	Quantity
1	Jeep JL Rear Camera Mount	99 0000 0888	1
2	Jeep JL Camera Cover	99 0000 0889	1
3	2-56 X 1/4" Pan Head Torx Screw, Black Ultra-Corrosion Resistant Coated Steel	99 0000 0890	3
4	4-40 X 5/16" Pan Head Torx Screw, Black Ultra-Corrosion Resistant Coated Steel	99 0000 0891	4
5	M14 Push Nut, Black Phosphate Steel	99 0000 0898	3




When using stock original equipment (OEM) mounting bracket remove camera cover by cutting it off.




To access the camera's feed cables it will be necessary to remove these panels on the inside of the rear tailgate.






After accessing the camera's cables, disconnect them as shown. After they are routed back from the camera through the mouting bracket (see below) they will need to be reconnected.



Detail of TITAN Trail Trekker II^{TM} , Tire Mounting Bracket. If yours does not have the $\frac{3}{4}$ " (19 mm) hole in the center you will need to drill one, as shown, for the camera cable to pass through.



Camera installation and cable routing through Tire Mounting Bracket is shown above. There should be enough slack in the cabling to reach. Refer to the complete installation instructions for TITAN Trail Trekker II™ auxiliary fuel tank for additional details. Complete assembly and installation as shown in "Assembly Illustration" shown above on page 2.



P.O. Box 2225 Idaho Falls, ID 83403 USA Telephone (800) 728-4982 FAX (208) 529-2162

www.titanfueltanks.com TITAN Fuel Tanks™ are PROUDLY MADE IN THE USA

Revised 1.22.19 ©2019 Supertanks, LLC All Rights Reserved.